

L Number	Hits	Search Text	DB	Time stamp
2	817	(processor cpu microprocessor (processing adj unit)) same (associat\$3 correspond\$3) same (metric profil\$3) same (sum total accumul\$3 execut\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 16:09
4	4	((processor cpu microprocessor (processing adj unit)) with (associat\$3 correspond\$3) with (metric profil\$3) with (sum total accumul\$3 execut\$3)) same ((operating adj system) kernel)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 11:22
5	0	((processor cpu microprocessor (processing adj unit)) with (associat\$3 correspond\$3) with (metric profil\$3) with (sum total accumul\$3 execut\$3)) same smp	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 11:22
6	0	(thread\$3 same (profil\$3 and execut\$3) same (per second another) same ((associat\$3 correspond\$3) with (microprocessor cpu processor)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 12:47
3	121	(processor cpu microprocessor (processing adj unit)) with (associat\$3 correspond\$3) with (metric profil\$3) with (sum total accumul\$3 execut\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 14:45
7	129	(processor cpu microprocessor (processing adj unit)) with (associat\$3 correspond\$3) with (metric profil\$3) with (sum total accumul\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 14:54
8	93	((processor cpu microprocessor (processing adj unit)) with (associat\$3 correspond\$3) with (metric profil\$3) with (sum total accumul\$3)) not ((processor cpu microprocessor (processing adj unit)) with (associat\$3 correspond\$3) with (metric profil\$3) with (sum total accumul\$3 execut\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 14:54
9	11	(processor cpu microprocessor (processing adj unit)) with (associat\$3 correspond\$3) with (metric profil\$3) with (sum total accumul\$3) with (execut\$3 compil\$3 run\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 15:51
11	467	(metric profil\$3) with (processor cpu microprocessor (processing adj unit)) with level\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 15:37
12	22	((metric profil\$3) with (processor cpu microprocessor (processing adj unit)) with level\$3) same (kernel (operating adj system))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 15:38
13	43	((metric profil\$3) with (processor cpu microprocessor (processing adj unit)) with level\$3) same (kernel (operating adj system))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 15:38
14	21	(processor cpu microprocessor (processing adj unit)) with (associat\$3 correspond\$3) with (metric profil\$3) with (chang\$3 modif\$7) with (execut\$3 compil\$3 run\$4 load\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 15:55

15	2	"6055492" .pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 15:55
16	3269	(processor cpu microprocessor (processing adj unit)) near3 (metric profil\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 16:09
17	1	(smp multiprocessing) near3 (processor cpu microprocessor (processing adj unit)) near3 (metric profil\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 16:10
18	210	(second multiple plurality multi) near3 (processor cpu microprocessor (processing adj unit)) near3 (metric profil\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 16:11
19	3	(second multiple plurality multi) near3 (processor cpu microprocessor (processing adj unit)) near3 (associat\$3 correspond\$3) near3 (metric profil\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 16:11



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

(smp or multiprocessing) <near/3> (processor or cpu or micro

THE ACM DIGITAL LIBRARY

[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used

smp or multiprocessing near/3 processor or cpu or microprocessor or processing near/1 unit near/3 metric or profiling

Fi
12
141

Sort results by

☒ [Save results to a Binder](#)

Try an [Advanced Search](#)

Display results

☒ [Search Tips](#)

Try this search in [The ACM Guide](#)

☐ Open results in a new window

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐

1 [An analysis of operating system behavior on a simultaneous multithreaded architecture](#)

Joshua A. Redstone, Susan J. Eggers, Henry M. Levy

November 2000 **Proceedings of the ninth international conference on Architectural support for programming languages and operating systems**, Volume 28, 34 Issue 5, 5

Full-text available: ☒ pdf(227.80 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

This paper presents the first analysis of operating system execution on a simultaneous multithreaded (SMT) processor. While SMT has been studied extensively over the past 6 years, previous research has focused entirely on user-mode execution. However, many of the applications most amenable to multithreading technologies spend a significant fraction of their time in kernel code. A full understanding of the behavior of such workloads therefore requires execution and measurement of the operating sy ...

2 [Performance characterization of a Quad Pentium Pro SMP using OLTP workloads](#)

Kimberly Keeton, David A. Patterson, Yong Qiang He, Roger C. Raphael, Walter E. Baker

April 1998 **ACM SIGARCH Computer Architecture News, Proceedings of the 25th annual international symposium on Computer architecture**, Volume 26 Issue 3

Full text available: ☒ pdf(1.58 MB) ☒ Publisher Site Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Commercial applications are an important, yet often overlooked, workload with significantly different characteristics from technical workloads. The potential impact of these differences is that computers optimized for technical workloads may not provide good performance for commercial applications, and these applications may not fully exploit advances in processor design. To evaluate these issues, we use hardware counters to measure architectural features of a four-processor Pentium Pro-based se ...

3 [An analysis of operating system behavior on a simultaneous multithreaded architecture](#)

Joshua A. Redstone, Susan J. Eggers, Henry M. Levy

November 2000 **ACM SIGPLAN Notices**, Volume 35 Issue 11

Full text available: ☒ pdf(1.56 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

This paper presents the first analysis of operating system execution on a simultaneous multithreaded (SMT) processor. While SMT has been studied extensively over the past 6 years, previous research has focused entirely on user-mode execution. However, many of the applications most amenable to multithreading technologies spend a significant fraction of their time in kernel code. A full understanding of the behavior of such workloads therefore requires execution and measurement of the operating sy ...